This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1. (currently amended) An isolated polynucleotide comprising a nucleic acid molecule selected from the group consisting of:
 - a) the polynucleotide of SEQ ID NO:1; and
 - b) the polynucleotide of SEQ ID NO:5;
 - c) the polynucleotide of SEQ ID NO:6;
 - d) the polynucleotide of SEQ ID NO:7; and,
- e) b) a polynucleotide that is capable of hybridizing to a polynucleotide of a) d) under conditions of moderate high stringency that include 50% formamide, 6X SSC at about 42°C, with washing at approximately 68°C, 0.2X SSC, 0.1% SD, wherein the polypeptide encoded by the polynucleotide binds an IL-1R family member a cell expressing IL-1 zeta receptor.
- 2. (currently amended) An isolated polynucleotide comprising a nucleic acid molecule that encodes a polypeptide selected from the group consisting of:
 - a) a polypeptide comprising SEQ ID NO:3;
 - b) a polypeptide comprising SEQ ID NO:8;
 - c) a polypeptide comprising SEQ ID NO:9;
 - d) a polypeptide comprising SEQ ID NO:10;
- e) <u>b)</u> a polypeptide that is at least 80% 95% identical to a polypeptide of a)-d), wherein the polypeptide binds an IL-1R family member a cell expressing IL-1 zeta receptor; and,
- f) c) a fragment of the polypeptide of a) e) or b), wherein the fragment binds an IL-1R family member a cell expressing IL-1 zeta receptor, and further wherein the fragment comprises amino acid 51 through 188 of SEQ ID NO:3.

Claims 3 through 5 currently cancelled.

- 6. (original) A vector comprising a polynucleotide of claim 1.
- 7. (original) A vector comprising a polynucleotide of claim 2.

Claim 8 currently cancelled.

- 9. (currently amended) A An isolated host cell transformed or transfected with an expression vector of claim 6.
- 10. (currently amended) A An isolated host cell transformed or transfected with an expression vector of claim 7.

Claim 11 currently cancelled.

- 12. (original) A method for preparing a polypeptide, the method comprising culturing a host cell of claim 9 under conditions promoting expression of the polypeptide.
- 13. (original) A method for preparing a polypeptide, the method comprising culturing a host cell of claim 10 under conditions promoting expression of the polypeptide.

Claims 14 through 23 currently cancelled.

- 24. (newly added) The polynucleotide of claim 2, encoding a polypeptide comprising amino acids x through y of SEQ ID NO:3, wherein x is an integer between 1 and 50, inclusive, and y is an integer between 188 and 192, inclusive, further wherein the polypeptide has one or more changes in amino acid sequence selected from the group consisting of:
 - a) substitution of an amino acid by a residue having similar physiochemical characteristics;
 - b) inactivation of N-glycosylation sites;
 - c) deletion or replacement of Cys residues that are not essential for biological activity; and
 - d) inactivated KEX2 protease processing sites
 - 25. (newly added) The polynucleotide of claim 2, which encodes a variant polypeptide as a result of alternate mRNA splicing, wherein the variant polypeptide comprises amino acids 51 through 192 of SEQ ID NO:3.
 - 26. (newly added) A polynucleotide encoding a polypeptide comprising amino acids x through y of SEQ ID NO:3, wherein x is an integer between 1 and 50, inclusive, and y is an integer between 188 and 192, inclusive.

- 27. (newly added) A vector comprising a polynucleotide of claim 24.
- 28. (newly added) A vector comprising a polynucleotide of claim 25.
- 29. (newly added) A vector comprising a polynucleotide of claim 26.
- 30. (newly added) An isolated host cell transformed or transfected with an expression vector of claim 27.
- 31. (newly added) An isolated host cell transformed or transfected with an expression vector of claim 28.
- 32. (newly added) An isolated host cell transformed or transfected with an expression vector of claim 29.
- 33. (newly added) A method for preparing a polypeptide, the method comprising culturing a host cell of claim 30 under conditions promoting expression of the polypeptide.
- 34. (newly added) A method for preparing a polypeptide, the method comprising culturing a host cell of claim 31 under conditions promoting expression of the polypeptide.
- 35. (newly added) A method for preparing a polypeptide, the method comprising culturing a host cell of claim 32 under conditions promoting expression of the polypeptide.